

| L Number | Hits | Search Text | DB | Tim stamp |
|----------|------|--|---|---------------------|
| 1 | 9 | SHIN-D N | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/07/15 14:29 |
| 2 | 1 | CASSOLARO-VINCENZO | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/07/15 14:30 |
| 3 | 1 | CASSOLARO-V | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/07/15 14:30 |
| 4 | 2 | CASSOLARO | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/07/15 14:31 |
| 5 | 3 | MARIOTTO-A | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/07/15 14:31 |
| 6 | 1 | MARIOTTO-ANDREA | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/07/15 14:31 |
| 7 | 22 | MARIOTTO | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/07/15 14:32 |
| 9 | 1908 | stent and ((load\$3 or mount\$3) with catheter) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/07/15 15:32 |
| 10 | 262 | (stent and ((load\$3 or mount\$3) with catheter)) and (conical or (cone\$1shaped)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/07/15 15:34 |
| 11 | 1224 | stent same ((load\$3 or mount\$3) with catheter) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/07/15 15:33 |

| | | | | |
|----|-----|--|---|---------------------|
| 12 | 126 | (stent same ((load\$3 or m unt\$3) with catheter)) and (c nical r (c ne\$1shaped)) and diameter\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/07/15 15:36 |
| 13 | 451 | 623/1.11.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/07/15 16:34 |